MAFAS LTD

Lot 167, Bay View, Concord Road, La Romain. Trinidad W.I. Tel: 868-354-9666; Tel/Fax: 868-697-1375.Email: marcusmycoo@yahoo.com Visit us online: www.mafascaribbean.com

LETTUCE AND PAKCHOI PROGRAMME

Starter Fertiliser- **Deep place** 1oz/plant, 0:23:25 (½ bag TSP: ½ bag MOP) The fertilizer can also be applied using the broadcast/pre-planted method or 1 oz/ plant 12:24:12...

Pest and Disease control (Knap sack rates)/gall

1-Day at Transplant - Drench soil at base and over the plant in cool time of the day

Diligent CT + Binder + X-tra Power + Harvest More 10:55:10

11/2 TBSp + 5ml + 30ml + 1 Tbsp

4-5 days later: Ensure good coverage. Apply at cool time of the day

Top Cop + **Nitro Plus** + **Tree & Vine Mix** + **HM 10:55:10**

15 ml + 30 ml + 30 ml + 1 Tbsp

5-7 days later Foliar/Drench apply: **Apply at cool time of the day.**

Tantor + **Acaramik** + **Nitro Plus** + **Vine Mix** + **HM 15-30-15**

5ml + 10ml/4 gall + 30 ml + 30 ml + 1Tbsp

5-7 days Foliar/Drench apply: **Apply at cool time of the day**

Acaramik + Nitro Plus + Vine Mix + HM 5-10-27 Urea Mate

5-10 ml/4 gall + 30 ml + 30 ml + 1 Tbsp

ROOT FEED programme****

7 days after transplanting apply **ROOT Feed SP 1-3** Tablespoons/gall or 1-2 Kg /50 gall as a soil drench once in the life of crop.

If needed 5-7 days Foliar apply: **Top Cop + Obulus + HM 5-10-27**

15ml + 5ml + Tbsp

NOTES:

- See product profile on our Mafas Website for specific uses
- Under adverse weather conditions(heavy rainfall
- Condition spray water using pH+ 5ml/gall
- **Top Cop** is applied at 1 TBSp/gall for control of a wide range of Bacterial and Fungal leaf spots. Ensure full coverage. Conduct a compatibility test.
- Root Feed SP supplies Amine Nitrogen, Calcium, Magnesium, Boron, Zinc, Potassium, Plant Growth Activators and has Nematicidal action
- Mist blower rates are twice the knapsack rate. Use the downward baffle with fine droplets
- Acaramik @ 5-10ml/4 gall for Leafminers, aphids, caterpillars.